

| KBBE 47/27 - 150 |          |      |          | g=              | 4,89    | kN/m   | længde: |       |      |  |  |  |  |  |  |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
|------------------|----------|------|----------|-----------------|---------|--------|---------|-------|------|--|--|--|--|--|--|--|--|-----|-----|-----|------|------|------|------|------|------|------|------|------|---|
| Armering:        |          | MRd  | 523,55   | kNm             | qRd     | 75,91  | 54,47   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | kN/m |      |      |   |
|                  |          | Mrev | 351,96   | kNm             | qrev    | 49,43  | 35,02   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | kN/m |      |      |   |
|                  |          | Moo  | 265,93   | kNm             | qoo     | 36,15  | 25,26   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | kN/m |      |      |   |
| Sl. Arm.         | As:      | Mbal | 170,53   | kNm             | qbal    | 21,43  | 14,44   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | kN/m |      |      |   |
|                  | 0        | VRd  | 333,34   | kN              |         |        |         |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 420,0    | mm              | ulev    | -13,3  | -16,9   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | mm   |      |      |   |
| top              | 2        |      |          |                 |         | uoo    | -0,2    | 0,1   |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | mm   |      |   |
| hylde            | 1        | At   | 2,10E+05 | mm <sup>2</sup> | u10kort | 2,4    | 4,4     |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | mm   |      |      |   |
| bund             | 10       | y    | 214,0    | mm              | u10lang | 5,5    | 10,1    |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | mm   |      |      |   |
|                  |          | lk   | 3,93E+09 | mm <sup>4</sup> |         |        |         |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| KBBE 47/27 - 150 |          |      |          | g=              | 4,89    | kN/m   | længde: |       |      |  |  |  |  |  |  |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 641,71   | kNm             | qRd     | 94,14  | 67,87   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | kN/m |      |      |   |
|                  |          | Mrev | 443,36   | kNm             | qrev    | 63,53  | 45,38   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | kN/m |      |      |   |
|                  |          | Moo  | 354,75   | kNm             | qoo     | 49,86  | 35,33   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | kN/m |      |      |   |
| Sl. Arm.         | As:      | Mbal | 233,36   | kNm             | qbal    | 31,12  | 21,57   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | kN/m |      |      |   |
|                  | 0        | VRd  | 324,27   | kN              |         |        |         |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 408,6    | mm              | ulev    | -18,9  | -24,6   |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | mm   |      |      |   |
| top              | 2        |      |          |                 |         | uoo    | -1,3    | -1,4  |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | mm   |      |   |
| hylde            | 1        | At   | 2,12E+05 | mm <sup>2</sup> | u10kort | 2,4    | 4,4     |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | mm   |      |      |   |
| bund             | 14       | y    | 212,8    | mm              | u10lang | 5,4    | 10,0    |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      | mm   |      |      |   |
|                  |          | lk   | 3,96E+09 | mm <sup>4</sup> |         |        |         |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| KBBE 47/27 - 150 |          |      |          | g=              | 4,89    | kN/m   | længde: |       |      |  |  |  |  |  |  |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 738,52   | kNm             | qRd     | 109,08 | 78,84   | 59,22 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | kN/m |      |   |
|                  |          | Mrev | 532,99   | kNm             | qrev    | 77,36  | 55,54   | 41,38 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | kN/m |      |   |
|                  |          | Moo  | 441,86   | kNm             | qoo     | 63,30  | 45,21   | 33,47 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | kN/m |      |   |
| Sl. Arm.         | As:      | Mbal | 295,01   | kNm             | qbal    | 40,64  | 28,56   | 20,72 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | kN/m |      |   |
|                  | 0        | VRd  | 425,64   | kN              |         |        |         |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 402,2    | mm              | ulev    | -24,3  | -32,0   | -40,1 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | mm   |      |   |
| top              | 2        |      |          |                 |         | uoo    | -2,4    | -2,9  | -3,2 |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      | mm   |   |
| hylde            | 1        | At   | 2,14E+05 | mm <sup>2</sup> | u10kort | 2,3    | 4,3     | 7,4   |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | mm   |      |   |
| bund             | 18       | y    | 211,7    | mm              | u10lang | 5,4    | 10,0    | 17,0  |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | mm   |      |   |
|                  |          | lk   | 3,99E+09 | mm <sup>4</sup> |         |        |         |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| KBBE 47/27 - 150 |          |      |          | g=              | 4,89    | kN/m   | længde: |       |      |  |  |  |  |  |  |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 777,18   | kNm             | qRd     | 115,04 | 83,23   | 62,57 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | kN/m |      |   |
|                  |          | Mrev | 552,50   | kNm             | qrev    | 80,37  | 57,75   | 43,07 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | kN/m |      |   |
|                  |          | Moo  | 457,99   | kNm             | qoo     | 65,79  | 47,04   | 34,87 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | kN/m |      |   |
| Sl. Arm.         | As:      | Mbal | 303,17   | kNm             | qbal    | 41,90  | 29,48   | 21,43 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | kN/m |      |   |
|                  | 628      | VRd  | 425,64   | kN              |         |        |         |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 402,2    | mm              | ulev    | -24,3  | -32,0   | -40,2 |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | mm   |      |   |
| top              | 2        |      |          |                 |         | uoo    | -2,1    | -2,5  | -2,7 |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      | mm   |   |
| hylde            | 1        | At   | 2,18E+05 | mm <sup>2</sup> | u10kort | 2,3    | 4,2     | 7,2   |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | mm   |      |   |
| bund             | 18       | y    | 214,6    | mm              | u10lang | 5,2    | 9,7     | 16,5  |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      | mm   |      |   |
|                  |          | lk   | 4,11E+09 | mm <sup>4</sup> |         |        |         |       |      |  |  |  |  |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |

| KBBE 57/27 - 150 |          |      |          | g=              | 6,25    | kN/m   | længde: |       |  |  |  |  |  |  |  |  |  | 7,2 | 8,4  | 9,6  | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
|------------------|----------|------|----------|-----------------|---------|--------|---------|-------|--|--|--|--|--|--|--|--|--|-----|------|------|------|------|------|------|------|------|------|------|------|---|
| Armering:        |          | MRd  | 764,38   | kNm             | qRd     | 111,71 | 80,42   |       |  |  |  |  |  |  |  |  |  |     | kN/m |      |      |      |      |      |      |      |      |      |      |   |
|                  |          | Mrev | 498,57   | kNm             | qrev    | 70,69  | 50,28   |       |  |  |  |  |  |  |  |  |  |     | kN/m |      |      |      |      |      |      |      |      |      |      |   |
|                  |          | Moo  | 382,27   | kNm             | qoo     | 52,75  | 37,10   |       |  |  |  |  |  |  |  |  |  |     | kN/m |      |      |      |      |      |      |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 258,45   | kNm             | qbal    | 33,64  | 23,06   |       |  |  |  |  |  |  |  |  |  |     | kN/m |      |      |      |      |      |      |      |      |      |      |   |
|                  | 0        | VRd  | 407,41   | kN              |         |        |         |       |  |  |  |  |  |  |  |  |  |     |      |      |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 513,3    | mm              | ulev    | -11,4  | -14,7   |       |  |  |  |  |  |  |  |  |  |     | mm   |      |      |      |      |      |      |      |      |      |      |   |
| top              | 2        |      |          |                 | uoo     | -1,2   | -1,4    |       |  |  |  |  |  |  |  |  |  |     | mm   |      |      |      |      |      |      |      |      |      |      |   |
| hylde            | 1        | At   | 2,68E+05 | mm <sup>2</sup> | u10kort | 1,3    | 2,4     |       |  |  |  |  |  |  |  |  |  |     | mm   |      |      |      |      |      |      |      |      |      |      |   |
| bund             | 12       | y    | 261,9    | mm              | u10lang | 3,0    | 5,6     |       |  |  |  |  |  |  |  |  |  |     | mm   |      |      |      |      |      |      |      |      |      |      |   |
|                  |          | lk   | 7,15E+09 | mm <sup>4</sup> |         |        |         |       |  |  |  |  |  |  |  |  |  |     |      |      |      |      |      |      |      |      |      |      |      |   |
| KBBE 57/27 - 150 |          |      |          | g=              | 6,25    | kN/m   | længde: |       |  |  |  |  |  |  |  |  |  | 7,2 | 8,4  | 9,6  | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 998,14   | kNm             | qRd     | 106,92 | 80,40   | 62,21 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
|                  |          | Mrev | 678,01   | kNm             | qrev    | 70,63  | 52,61   | 40,26 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
|                  |          | Moo  | 556,52   | kNm             | qoo     | 56,85  | 42,06   | 31,92 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 389,25   | kNm             | qbal    | 37,89  | 27,54   | 20,45 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
|                  | 0        | VRd  | 531,46   | kN              |         |        |         |       |  |  |  |  |  |  |  |  |  |     |      |      |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 502,2    | mm              | ulev    | -23,4  | -29,3   | -35,4 |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
| top              | 2        |      |          |                 | uoo     | -3,8   | -4,6    | -5,2  |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
| hylde            | 1        | At   | 2,71E+05 | mm <sup>2</sup> | u10kort | 2,4    | 4,1     | 6,5   |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
| bund             | 18       | y    | 259,9    | mm              | u10lang | 5,5    | 9,4     | 15,0  |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
|                  |          | lk   | 7,23E+09 | mm <sup>4</sup> |         |        |         |       |  |  |  |  |  |  |  |  |  |     |      |      |      |      |      |      |      |      |      |      |      |   |
| KBBE 57/27 - 150 |          |      |          | g=              | 6,25    | kN/m   | længde: |       |  |  |  |  |  |  |  |  |  | 7,2 | 8,4  | 9,6  | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 1117,83  | kNm             | qRd     | 90,79  | 70,42   | 55,86 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
|                  |          | Mrev | 785,84   | kNm             | qrev    | 61,97  | 47,65   | 37,41 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
|                  |          | Moo  | 661,56   | kNm             | qoo     | 51,18  | 39,13   | 30,51 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 464,77   | kNm             | qbal    | 34,10  | 25,63   | 19,57 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
|                  | 0        | VRd  | 523,34   | kN              |         |        |         |       |  |  |  |  |  |  |  |  |  |     |      |      |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 494,5    | mm              | ulev    | -35,8  | -43,6   | -51,5 |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
| top              | 2        |      |          |                 | uoo     | -6,0   | -7,0    | -7,8  |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
| hylde            | 1        | At   | 2,73E+05 | mm <sup>2</sup> | u10kort | 4,1    | 6,5     | 9,9   |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
| bund             | 22       | y    | 258,8    | mm              | u10lang | 9,3    | 14,9    | 22,7  |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
|                  |          | lk   | 7,28E+09 | mm <sup>4</sup> |         |        |         |       |  |  |  |  |  |  |  |  |  |     |      |      |      |      |      |      |      |      |      |      |      |   |
| KBBE 57/27 - 150 |          |      |          | g=              | 6,25    | kN/m   | længde: |       |  |  |  |  |  |  |  |  |  | 7,2 | 8,4  | 9,6  | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 1166,32  | kNm             | qRd     | 95,00  | 73,75   | 58,55 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
|                  |          | Mrev | 811,76   | kNm             | qrev    | 64,22  | 49,43   | 38,85 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
|                  |          | Moo  | 683,01   | kNm             | qoo     | 53,04  | 40,60   | 31,70 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 474,58   | kNm             | qbal    | 34,95  | 26,30   | 20,12 |  |  |  |  |  |  |  |  |  |     |      | kN/m |      |      |      |      |      |      |      |      |      |   |
|                  | 628      | VRd  | 523,34   | kN              |         |        |         |       |  |  |  |  |  |  |  |  |  |     |      |      |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 494,5    | mm              | ulev    | -35,7  | -43,5   | -51,4 |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
| top              | 2        |      |          |                 | uoo     | -5,4   | -6,3    | -7,0  |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
| hylde            | 1        | At   | 2,76E+05 | mm <sup>2</sup> | u10kort | 3,9    | 6,3     | 9,6   |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
| bund             | 22       | y    | 261,8    | mm              | u10lang | 9,1    | 14,5    | 22,2  |  |  |  |  |  |  |  |  |  |     |      | mm   |      |      |      |      |      |      |      |      |      |   |
|                  |          | lk   | 7,48E+09 | mm <sup>4</sup> |         |        |         |       |  |  |  |  |  |  |  |  |  |     |      |      |      |      |      |      |      |      |      |      |      |   |

| KBBE 67/27 - 150 |          |      |          | g=              | 7,63    | kN/m   | længde: |        |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m    |
|------------------|----------|------|----------|-----------------|---------|--------|---------|--------|--|--|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|
| Armering:        |          | MRd  | 1264,17  | kNm             | qRd     | 187,46 | 135,70  | 102,11 |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Mrev | 836,46   | kNm             | qrev    | 121,45 | 87,20   | 64,98  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Moo  | 674,36   | kNm             | qoo     | 96,44  | 68,83   | 50,91  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
| Sl. Arm.         | As:      | Mbal | 488,42   | kNm             | qbal    | 67,74  | 47,74   | 34,77  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  | 0        | VRd  | 746,82   | kN              |         |        |         |        |  |  |     |     |     |      |      |      |      |      |      |      |      |      |      |
| Liner            | L 12,5 : | d    | 602,2    | mm              | ulev    | -13,5  | -17,8   | -22,4  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| top              | 2        |      |          |                 | uoo     | -3,0   | -3,8    | -4,7   |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| hylde            | 1        | At   | 3,29E+05 | mm <sup>2</sup> | u10kort | 0,8    | 1,4     | 2,5    |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| bund             | 18       | y    | 310,0    | mm              | u10lang | 1,8    | 3,3     | 5,7    |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
|                  |          | lk   | 1,20E+10 | mm <sup>4</sup> |         |        |         |        |  |  |     |     |     |      |      |      |      |      |      |      |      |      |      |
| KBBE 67/27 - 150 |          |      |          | g=              | 7,63    | kN/m   | længde: |        |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m    |
| Armering:        |          | MRd  | 1437,60  | kNm             | qRd     | 155,36 | 117,16  | 90,97  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Mrev | 974,68   | kNm             | qrev    | 102,88 | 76,98   | 59,22  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Moo  | 808,73   | kNm             | qoo     | 84,06  | 62,57   | 47,84  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
| Sl. Arm.         | As:      | Mbal | 590,01   | kNm             | qbal    | 59,26  | 43,58   | 32,83  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  | 0        | VRd  | 737,30   | kN              |         |        |         |        |  |  |     |     |     |      |      |      |      |      |      |      |      |      |      |
| Liner            | L 12,5 : | d    | 594,5    | mm              | ulev    | -21,8  | -27,6   | -33,7  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| top              | 2        |      |          |                 | uoo     | -5,0   | -6,2    | -7,4   |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| hylde            | 1        | At   | 3,31E+05 | mm <sup>2</sup> | u10kort | 1,4    | 2,5     | 3,9    |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| bund             | 22       | y    | 308,8    | mm              | u10lang | 3,3    | 5,6     | 9,0    |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
|                  |          | lk   | 1,20E+10 | mm <sup>4</sup> |         |        |         |        |  |  |     |     |     |      |      |      |      |      |      |      |      |      |      |
| KBBE 67/27 - 150 |          |      |          | g=              | 7,63    | kN/m   | længde: |        |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m    |
| Armering:        |          | MRd  | 1648,80  | kNm             | qRd     | 135,49 | 105,45  | 83,97  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Mrev | 1164,17  | kNm             | qrev    | 93,42  | 72,22   | 57,04  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Moo  | 993,49   | kNm             | qoo     | 78,61  | 60,51   | 47,56  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
| Sl. Arm.         | As:      | Mbal | 724,98   | kNm             | qbal    | 55,30  | 42,09   | 32,64  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  | 0        | VRd  | 722,80   | kN              |         |        |         |        |  |  |     |     |     |      |      |      |      |      |      |      |      |      |      |
| Liner            | L 12,5 : | d    | 582,9    | mm              | ulev    | -34,5  | -42,5   | -50,7  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| top              | 2        |      |          |                 | uoo     | -7,9   | -9,5    | -11,1  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| hylde            | 1        | At   | 3,34E+05 | mm <sup>2</sup> | u10kort | 2,4    | 3,9     | 5,9    |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| bund             | 28       | y    | 307,2    | mm              | u10lang | 5,6    | 9,0     | 13,7   |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
|                  |          | lk   | 1,21E+10 | mm <sup>4</sup> |         |        |         |        |  |  |     |     |     |      |      |      |      |      |      |      |      |      |      |
| KBBE 67/27 - 150 |          |      |          | g=              | 7,63    | kN/m   | længde: |        |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m    |
| Armering:        |          | MRd  | 1742,60  | kNm             | qRd     | 143,64 | 111,89  | 89,18  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Mrev | 1215,63  | kNm             | qrev    | 97,89  | 75,74   | 59,90  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Moo  | 1036,31  | kNm             | qoo     | 82,33  | 63,45   | 49,94  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
| Sl. Arm.         | As:      | Mbal | 743,78   | kNm             | qbal    | 56,93  | 43,38   | 33,69  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | kN/m |
|                  | 982      | VRd  | 722,80   | kN              |         |        |         |        |  |  |     |     |     |      |      |      |      |      |      |      |      |      |      |
| Liner            | L 12,5 : | d    | 582,9    | mm              | ulev    | -34,3  | -42,2   | -50,4  |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| top              | 2        |      |          |                 | uoo     | -7,0   | -8,4    | -9,8   |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| hylde            | 1        | At   | 3,39E+05 | mm <sup>2</sup> | u10kort | 2,3    | 3,8     | 5,7    |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
| bund             | 28       | y    | 311,8    | mm              | u10lang | 5,4    | 8,6     | 13,2   |  |  |     |     |     |      |      |      |      |      |      |      |      |      | mm   |
|                  |          | lk   | 1,26E+10 | mm <sup>4</sup> |         |        |         |        |  |  |     |     |     |      |      |      |      |      |      |      |      |      |      |

| KBBE 77/27 - 150 |          |      |          |                 | g=      | 9,05 | kN/m | længde: |  |        |        |        |       |  |  |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
|------------------|----------|------|----------|-----------------|---------|------|------|---------|--|--------|--------|--------|-------|--|--|--|--|-----|-----|-----|------|------|------|------|------|------|------|------|------|---|
| Armering:        |          | MRd  | 1658,59  | kNm             | qRd     |      |      |         |  | 179,00 | 134,93 | 104,71 | 83,10 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  |          | Mrev | 1097,77  | kNm             | qrev    |      |      |         |  | 115,42 | 86,24  | 66,25  | 51,94 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  |          | Moo  | 881,43   | kNm             | qoo     |      |      |         |  | 90,89  | 67,47  | 51,41  | 39,92 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 660,22   | kNm             | qbal    |      |      |         |  | 65,81  | 48,26  | 36,23  | 27,63 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  | 0        | VRd  | 868,07   | kN              |         |      |      |         |  |        |        |        |       |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 700,0    | mm              | ulev    |      |      |         |  | -15,8  | -19,9  | -24,2  | -28,6 |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| top              | 2        |      |          |                 | uoo     |      |      |         |  | -4,1   | -5,2   | -6,2   | -7,2  |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| hylde            | 1        | At   | 3,89E+05 | mm <sup>2</sup> | u10kort |      |      |         |  | 0,9    | 1,6    | 2,5    | 3,9   |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| bund             | 20       | y    | 360,5    | mm              | u10lang |      |      |         |  | 2,1    | 3,7    | 5,9    | 8,9   |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
|                  |          | lk   | 1,85E+10 | mm <sup>4</sup> |         |      |      |         |  |        |        |        |       |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| KBBE 77/27 - 150 |          |      |          |                 | g=      | 9,05 | kN/m | længde: |  |        |        |        |       |  |  |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 1865,45  | kNm             | qRd     |      |      |         |  | 152,88 | 118,90 | 94,59  | 62,92 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  |          | Mrev | 1256,24  | kNm             | qrev    |      |      |         |  | 100,00 | 77,11  | 60,74  | 39,42 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  |          | Moo  | 1035,56  | kNm             | qoo     |      |      |         |  | 80,84  | 61,98  | 48,48  | 30,90 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 777,70   | kNm             | qbal    |      |      |         |  | 58,46  | 44,29  | 34,16  | 20,96 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  | 0        | VRd  | 855,67   | kN              |         |      |      |         |  |        |        |        |       |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 690,0    | mm              | ulev    |      |      |         |  | -23,8  | -29,2  | -34,7  | -45,6 |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| top              | 2        |      |          |                 | uoo     |      |      |         |  | -6,3   | -7,7   | -9,0   | -11,4 |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| hylde            | 1        | At   | 3,91E+05 | mm <sup>2</sup> | u10kort |      |      |         |  | 1,6    | 2,5    | 3,9    | 8,0   |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| bund             | 24       | y    | 359,3    | mm              | u10lang |      |      |         |  | 3,6    | 5,8    | 8,9    | 18,4  |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
|                  |          | lk   | 1,87E+10 | mm <sup>4</sup> |         |      |      |         |  |        |        |        |       |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| KBBE 77/27 - 150 |          |      |          |                 | g=      | 9,05 | kN/m | længde: |  |        |        |        |       |  |  |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 2118,00  | kNm             | qRd     |      |      |         |  | 136,22 | 108,62 | 72,66  | 50,99 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  |          | Mrev | 1453,57  | kNm             | qrev    |      |      |         |  | 90,65  | 71,71  | 47,03  | 32,15 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  |          | Moo  | 1224,06  | kNm             | qoo     |      |      |         |  | 74,91  | 58,96  | 38,18  | 25,65 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 860,24   | kNm             | qbal    |      |      |         |  | 49,95  | 38,74  | 24,14  | 15,34 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  | 0        | VRd  | 843,27   | kN              |         |      |      |         |  |        |        |        |       |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 680,0    | mm              | ulev    |      |      |         |  | -32,3  | -38,5  | -51,1  | -62,6 |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| top              | 4        |      |          |                 | uoo     |      |      |         |  | -5,4   | -6,3   | -7,5   | -7,7  |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| hylde            | 1        | At   | 3,95E+05 | mm <sup>2</sup> | u10kort |      |      |         |  | 2,5    | 3,8    | 7,9    | 14,6  |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| bund             | 30       | y    | 358,5    | mm              | u10lang |      |      |         |  | 5,7    | 8,7    | 18,1   | 33,6  |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
|                  |          | lk   | 1,89E+10 | mm <sup>4</sup> |         |      |      |         |  |        |        |        |       |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| KBBE 77/27 - 150 |          |      |          |                 | g=      | 9,05 | kN/m | længde: |  |        |        |        |       |  |  |  |  | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 2376,19  | kNm             | qRd     |      |      |         |  | 153,93 | 122,96 | 82,63  | 58,30 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  |          | Mrev | 1654,02  | kNm             | qrev    |      |      |         |  | 104,40 | 82,84  | 54,76  | 37,83 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  |          | Moo  | 1411,05  | kNm             | qoo     |      |      |         |  | 87,73  | 69,34  | 45,39  | 30,95 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 978,15   | kNm             | qbal    |      |      |         |  | 58,04  | 45,29  | 28,69  | 18,68 |  |  |  |  |     |     |     |      |      |      | kN/m |      |      |      |      |      |   |
|                  | 982      | VRd  | 831,60   | kN              |         |      |      |         |  |        |        |        |       |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 670,6    | mm              | ulev    |      |      |         |  | -36,0  | -43,2  | -58,0  | -72,2 |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| top              | 4        |      |          |                 | uoo     |      |      |         |  | -5,5   | -6,3   | -7,6   | -8,0  |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| hylde            | 1        | At   | 4,02E+05 | mm <sup>2</sup> | u10kort |      |      |         |  | 2,4    | 3,7    | 7,6    | 14,1  |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
| bund             | 34       | y    | 362,1    | mm              | u10lang |      |      |         |  | 5,5    | 8,4    | 17,5   | 32,4  |  |  |  |  |     |     |     |      |      |      | mm   |      |      |      |      |      |   |
|                  |          | lk   | 1,96E+10 | mm <sup>4</sup> |         |      |      |         |  |        |        |        |       |  |  |  |  |     |     |     |      |      |      |      |      |      |      |      |      |   |

| KBBE 87/27 - 150 |          |      |          | g=              | 10,49   | kN/m   | længde: |        | 7,2    | 8,4    | 9,6    | 10,8  | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m    |
|------------------|----------|------|----------|-----------------|---------|--------|---------|--------|--------|--------|--------|-------|------|------|------|------|------|------|------|------|------|
| Armering:        |          | MRd  | 2442,90  | kNm             | qRd     | 366,50 | 266,48  | 201,56 | 157,06 | 125,22 |        |       |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Mrev | 1627,23  | kNm             | qrev    | 240,62 | 174,00  | 130,76 | 101,11 | 79,91  |        |       |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Moo  | 1337,73  | kNm             | qoo     | 195,95 | 141,18  | 105,63 | 81,26  | 63,82  |        |       |      |      |      |      |      |      |      |      | kN/m |
| Sl. Arm.         | As:      | Mbal | 962,27   | kNm             | qbal    | 138,00 | 98,61   | 73,04  | 55,51  | 42,97  |        |       |      |      |      |      |      |      |      |      | kN/m |
|                  | 0        | VRd  | 1456,23  | kN              |         |        |         |        |        |        |        |       |      |      |      |      |      |      |      |      |      |
| Liner            | L 12,5 : | d    | 782,9    | mm              | ulev    | -11,8  | -15,7   | -20,0  | -24,5  | -29,2  |        |       |      |      |      |      |      |      |      |      | mm   |
| top              | 4        |      |          |                 | uoo     | -2,5   | -3,3    | -4,1   | -5,0   | -5,8   |        |       |      |      |      |      |      |      |      |      | mm   |
| hylde            | 1        | At   | 4,54E+05 | mm <sup>2</sup> | u10kort | 0,3    | 0,6     | 1,1    | 1,7    | 2,6    |        |       |      |      |      |      |      |      |      |      | mm   |
| bund             | 28       | y    | 410,9    | mm              | u10lang | 0,8    | 1,4     | 2,4    | 3,9    | 6,0    |        |       |      |      |      |      |      |      |      |      | mm   |
|                  |          | lk   | 2,77E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |       |      |      |      |      |      |      |      |      |      |
| KBBE 87/27 - 150 |          |      |          | g=              | 10,49   | kN/m   | længde: |        | 7,2    | 8,4    | 9,6    | 10,8  | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m    |
| Armering:        |          | MRd  | 2760,56  | kNm             | qRd     |        | 302,49  | 229,14 | 178,84 | 142,87 | 96,01  |       |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Mrev | 1888,91  | kNm             | qrev    |        | 203,67  | 153,47 | 119,06 | 94,45  | 62,38  |       |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Moo  | 1592,40  | kNm             | qoo     |        | 170,05  | 127,74 | 98,72  | 77,97  | 50,94  |       |      |      |      |      |      |      |      |      | kN/m |
| Sl. Arm.         | As:      | Mbal | 1154,97  | kNm             | qbal    |        | 120,45  | 89,76  | 68,72  | 53,67  | 34,07  |       |      |      |      |      |      |      |      |      | kN/m |
|                  | 0        | VRd  | 1433,41  | kN              |         |        |         |        |        |        |        |       |      |      |      |      |      |      |      |      |      |
| Liner            | L 12,5 : | d    | 770,6    | mm              | ulev    |        | -19,0   | -24,3  | -29,9  | -35,9  | -48,3  |       |      |      |      |      |      |      |      |      | mm   |
| top              | 4        |      |          |                 | uoo     |        | -4,2    | -5,4   | -6,5   | -7,7   | -9,9   |       |      |      |      |      |      |      |      |      | mm   |
| hylde            | 1        | At   | 4,57E+05 | mm <sup>2</sup> | u10kort |        | 0,6     | 1,1    | 1,7    | 2,6    | 5,3    |       |      |      |      |      |      |      |      |      | mm   |
| bund             | 34       | y    | 409,2    | mm              | u10lang |        | 1,4     | 2,4    | 3,9    | 5,9    | 12,3   |       |      |      |      |      |      |      |      |      | mm   |
|                  |          | lk   | 2,79E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |       |      |      |      |      |      |      |      |      |      |
| KBBE 87/27 - 150 |          |      |          | g=              | 10,49   | kN/m   | længde: |        | 7,2    | 8,4    | 9,6    | 10,8  | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m    |
| Armering:        |          | MRd  | 3035,69  | kNm             | qRd     |        |         | 253,02 | 197,72 | 158,16 | 106,62 | 75,55 |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Mrev | 2137,31  | kNm             | qrev    |        |         | 175,04 | 136,10 | 108,25 | 71,96  | 50,09 |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Moo  | 1834,53  | kNm             | qoo     |        |         | 148,75 | 115,33 | 91,42  | 60,28  | 41,51 |      |      |      |      |      |      |      |      | kN/m |
| Sl. Arm.         | As:      | Mbal | 1335,10  | kNm             | qbal    |        |         | 105,40 | 81,08  | 63,68  | 41,01  | 27,35 |      |      |      |      |      |      |      |      | kN/m |
|                  | 0        | VRd  | 1413,72  | kN              |         |        |         |        |        |        |        |       |      |      |      |      |      |      |      |      |      |
| Liner            | L 12,5 : | d    | 760,0    | mm              | ulev    |        |         | -28,2  | -35,0  | -42,1  | -57,3  | -72,5 |      |      |      |      |      |      |      |      | mm   |
| top              | 4        |      |          |                 | uoo     |        |         | -6,4   | -7,8   | -9,3   | -12,2  | -14,7 |      |      |      |      |      |      |      |      | mm   |
| hylde            | 1        | At   | 4,60E+05 | mm <sup>2</sup> | u10kort |        |         | 1,0    | 1,7    | 2,6    | 5,3    | 9,8   |      |      |      |      |      |      |      |      | mm   |
| bund             | 40       | y    | 407,7    | mm              | u10lang |        |         | 2,4    | 3,9    | 5,9    | 12,2   | 22,6  |      |      |      |      |      |      |      |      | mm   |
|                  |          | lk   | 2,81E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |       |      |      |      |      |      |      |      |      |      |
| KBBE 87/27 - 150 |          |      |          | g=              | 10,49   | kN/m   | længde: |        | 7,2    | 8,4    | 9,6    | 10,8  | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m    |
| Armering:        |          | MRd  | 3284,38  | kNm             | qRd     |        |         | 274,61 | 214,77 | 171,97 | 116,22 | 82,60 |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Mrev | 2281,38  | kNm             | qrev    |        |         | 187,54 | 145,98 | 116,25 | 77,52  | 54,17 |      |      |      |      |      |      |      |      | kN/m |
|                  |          | Moo  | 1955,26  | kNm             | qoo     |        |         | 159,23 | 123,61 | 98,13  | 64,94  | 44,93 |      |      |      |      |      |      |      |      | kN/m |
| Sl. Arm.         | As:      | Mbal | 1387,77  | kNm             | qbal    |        |         | 109,97 | 84,69  | 66,60  | 43,05  | 28,84 |      |      |      |      |      |      |      |      | kN/m |
|                  | 1963     | VRd  | 1413,72  | kN              |         |        |         |        |        |        |        |       |      |      |      |      |      |      |      |      |      |
| Liner            | L 12,5 : | d    | 760,0    | mm              | ulev    |        |         | -27,8  | -34,5  | -41,6  | -56,7  | -72,0 |      |      |      |      |      |      |      |      | mm   |
| top              | 4        |      |          |                 | uoo     |        |         | -5,4   | -6,5   | -7,7   | -10,0  | -11,8 |      |      |      |      |      |      |      |      | mm   |
| hylde            | 1        | At   | 4,71E+05 | mm <sup>2</sup> | u10kort |        |         | 1,0    | 1,6    | 2,4    | 5,0    | 9,3   |      |      |      |      |      |      |      |      | mm   |
| bund             | 40       | y    | 416,5    | mm              | u10lang |        |         | 2,3    | 3,7    | 5,6    | 11,6   | 21,4  |      |      |      |      |      |      |      |      | mm   |
|                  |          | lk   | 2,97E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |       |      |      |      |      |      |      |      |      |      |

| KBBE 97/27 - 150 |          |      |          | g=              | 11,97   | kN/m   | længde: |        |        |        |        |        |        |        |        |        | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
|------------------|----------|------|----------|-----------------|---------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----|-----|-----|------|------|------|------|------|------|------|------|------|---|
| Armering:        |          | MRd  | 3138,50  | kNm             | qRd     | 472,37 | 343,87  | 260,47 | 203,29 | 162,39 | 109,11 |        |        |        |        |        |     |     |     |      |      |      |      |      | kN/m |      |      |      |   |
|                  |          | Mrev | 2098,86  | kNm             | qrev    | 311,93 | 226,00  | 170,22 | 131,98 | 104,63 | 69,00  |        |        |        |        |        |     |     |     |      |      |      |      |      | kN/m |      |      |      |   |
|                  |          | Moo  | 1733,38  | kNm             | qoo     | 255,53 | 184,56  | 138,50 | 106,92 | 84,33  | 54,90  |        |        |        |        |        |     |     |     |      |      |      |      |      | kN/m |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 1284,56  | kNm             | qbal    | 186,26 | 133,67  | 99,54  | 76,13  | 59,39  | 37,59  |        |        |        |        |        |     |     |     |      |      |      |      |      | kN/m |      |      |      |   |
|                  | 0        | VRd  | 1627,63  | kN              |         |        |         |        |        |        |        |        |        |        |        |        |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 875,0    | mm              | ulev    | -11,2  | -15,0   | -19,1  | -23,6  | -28,3  | -38,0  |        |        |        |        |        |     |     |     |      |      |      |      |      | mm   |      |      |      |   |
| top              | 4        |      |          |                 | uoo     | -2,8   | -3,8    | -4,8   | -5,8   | -6,9   | -9,0   |        |        |        |        |        |     |     |     |      |      |      |      |      | mm   |      |      |      |   |
| hylde            | 1        | At   | 5,17E+05 | mm <sup>2</sup> | u10kort | 0,2    | 0,4     | 0,8    | 1,2    | 1,8    | 3,8    |        |        |        |        |        |     |     |     |      |      |      |      |      | mm   |      |      |      |   |
| bund             | 32       | y    | 462,2    | mm              | u10lang | 0,5    | 1,0     | 1,7    | 2,8    | 4,2    | 8,7    |        |        |        |        |        |     |     |     |      |      |      |      |      | mm   |      |      |      |   |
|                  |          | lk   | 3,93E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |        |        |        |        |        |     |     |     |      |      |      |      |      |      |      |      |      |   |
| KBBE 97/27 - 150 |          |      |          | g=              | 11,97   | kN/m   | længde: |        |        |        |        |        |        |        |        |        | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 3387,10  | kNm             | qRd     |        |         |        |        |        | 372,05 | 282,05 | 220,34 | 176,20 | 118,71 | 84,04  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
|                  |          | Mrev | 2297,33  | kNm             | qrev    |        |         |        |        |        | 248,50 | 187,45 | 145,60 | 115,66 | 76,66  | 53,15  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
|                  |          | Moo  | 1926,46  | kNm             | qoo     |        |         |        |        |        | 206,45 | 155,26 | 120,16 | 95,06  | 62,35  | 42,63  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 1432,71  | kNm             | qbal    |        |         |        |        |        | 150,47 | 112,40 | 86,30  | 67,62  | 43,30  | 28,64  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
|                  | 0        | VRd  | 1612,13  | kN              |         |        |         |        |        |        |        |        |        |        |        |        |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 866,7    | mm              | ulev    |        |         |        |        |        | -16,7  | -21,4  | -26,5  | -31,9  | -43,2  | -54,4  |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
| top              | 4        |      |          |                 | uoo     |        |         |        |        |        | -4,3   | -5,5   | -6,7   | -8,0   | -10,6  | -12,8  |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
| hylde            | 1        | At   | 5,19E+05 | mm <sup>2</sup> | u10kort |        |         |        |        |        | 0,4    | 0,7    | 1,2    | 1,8    | 3,8    | 7,0    |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
| bund             | 36       | y    | 461,1    | mm              | u10lang |        |         |        |        |        | 1,0    | 1,7    | 2,8    | 4,2    | 8,7    | 16,1   |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
|                  |          | lk   | 3,95E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |        |        |        |        |        |     |     |     |      |      |      |      |      |      |      |      |      |   |
| KBBE 97/27 - 150 |          |      |          | g=              | 11,97   | kN/m   | længde: |        |        |        |        |        |        |        |        |        | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 3826,33  | kNm             | qRd     |        |         |        |        |        | 320,18 |        | 250,47 | 200,60 | 135,65 | 96,49  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
|                  |          | Mrev | 2675,22  | kNm             | qrev    |        |         |        |        |        | 220,25 |        | 171,52 | 136,65 | 91,24  | 63,86  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
|                  |          | Moo  | 2294,58  | kNm             | qoo     |        |         |        |        |        | 187,21 |        | 145,41 | 115,51 | 76,56  | 53,07  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 1710,49  | kNm             | qbal    |        |         |        |        |        | 136,51 |        | 105,35 | 83,06  | 54,02  | 36,51  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
|                  | 0        | VRd  | 1584,51  | kN              |         |        |         |        |        |        |        |        |        |        |        |        |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 851,8    | mm              | ulev    |        |         |        |        |        | -25,7  |        | -32,0  | -38,7  | -52,9  | -67,6  |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
| top              | 4        |      |          |                 | uoo     |        |         |        |        |        | -6,7   |        | -8,3   | -9,9   | -13,3  | -16,6  |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
| hylde            | 1        | At   | 5,23E+05 | mm <sup>2</sup> | u10kort |        |         |        |        |        | 0,7    |        | 1,2    | 1,8    | 3,8    | 7,0    |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
| bund             | 44       | y    | 458,9    | mm              | u10lang |        |         |        |        |        | 1,7    |        | 2,7    | 4,2    | 8,6    | 16,0   |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
|                  |          | lk   | 3,98E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |        |        |        |        |        |     |     |     |      |      |      |      |      |      |      |      |      |   |
| KBBE 97/27 - 150 |          |      |          | g=              | 11,97   | kN/m   | længde: |        |        |        |        |        |        |        |        |        | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 14,4 | 16,8 | 19,2 | 21,6 | 24,0 | 26,4 | 28,8 | m |
| Armering:        |          | MRd  | 4096,92  | kNm             | qRd     |        |         |        |        |        | 343,67 |        | 269,03 | 215,64 | 146,09 | 104,16 |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
|                  |          | Mrev | 2834,99  | kNm             | qrev    |        |         |        |        |        | 234,12 |        | 182,47 | 145,53 | 97,40  | 68,39  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
|                  |          | Moo  | 2427,57  | kNm             | qoo     |        |         |        |        |        | 198,76 |        | 154,53 | 122,90 | 81,69  | 56,84  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
| Sl. Arm.         | As:      | Mbal | 1767,30  | kNm             | qbal    |        |         |        |        |        | 141,44 |        | 109,24 | 86,21  | 56,21  | 38,12  |     |     |     |      |      |      |      | kN/m |      |      |      |      |   |
|                  | 1963     | VRd  | 1584,51  | kN              |         |        |         |        |        |        |        |        |        |        |        |        |     |     |     |      |      |      |      |      |      |      |      |      |   |
| Liner            | L 12,5 : | d    | 851,8    | mm              | ulev    |        |         |        |        |        | -25,4  |        | -31,5  | -38,1  | -52,3  | -67,0  |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
| top              | 4        |      |          |                 | uoo     |        |         |        |        |        | -5,8   |        | -7,1   | -8,5   | -11,4  | -14,0  |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
| hylde            | 1        | At   | 5,34E+05 | mm <sup>2</sup> | u10kort |        |         |        |        |        | 0,7    |        | 1,1    | 1,7    | 3,6    | 6,6    |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
| bund             | 44       | y    | 467,7    | mm              | u10lang |        |         |        |        |        | 1,6    |        | 2,6    | 4,0    | 8,2    | 15,2   |     |     |     |      |      |      |      | mm   |      |      |      |      |   |
|                  |          | lk   | 4,18E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |        |        |        |        |        |     |     |     |      |      |      |      |      |      |      |      |      |   |

| KBBE 107/27 - 150 |          |      |          | g=              | 13,48   | kN/m   | længde: |        | 7,2    | 8,4    | 9,6    | 10,8   | 12,0   | 14,4   | 16,8   | 19,2   | 21,6  | 24,0 | 26,4 | 28,8 | m    |      |      |
|-------------------|----------|------|----------|-----------------|---------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|------|------|------|------|------|------|
| Armering:         |          | MRd  | 3776,49  | kNm             | qRd     | 569,32 | 414,70  | 314,34 | 245,54 | 196,33 | 132,22 | 93,57  |        |        |        |        |       |      |      |      | kN/m |      |      |
|                   |          | Mrev | 2517,28  | kNm             | qrev    | 374,99 | 271,93  | 205,04 | 159,18 | 126,37 | 83,64  | 57,88  |        |        |        |        |       |      |      |      | kN/m |      |      |
|                   |          | Moo  | 2069,52  | kNm             | qoo     | 305,89 | 221,16  | 166,17 | 128,47 | 101,50 | 66,37  | 45,18  |        |        |        |        |       |      |      |      | kN/m |      |      |
| Sl. Arm.          | As:      | Mbal | 1565,56  | kNm             | qbal    | 228,12 | 164,03  | 122,42 | 93,90  | 73,50  | 46,92  | 30,90  |        |        |        |        |       |      |      |      | kN/m |      |      |
|                   | 0        | VRd  | 1805,44  | kN              |         |        |         |        |        |        |        |        |        |        |        |        |       |      |      |      |      |      |      |
| Liner             | L 12,5 : | d    | 970,6    | mm              | ulev    | -10,0  | -13,4   | -17,2  | -21,2  | -25,5  | -34,5  | -43,2  |        |        |        |        |       |      |      |      | mm   |      |      |
| top               | 4        |      |          |                 | uoo     | -2,8   | -3,7    | -4,8   | -5,9   | -7,0   | -9,3   | -11,3  |        |        |        |        |       |      |      |      | mm   |      |      |
| hylde             | 1        | At   | 5,81E+05 | mm <sup>2</sup> | u10kort | 0,2    | 0,3     | 0,5    | 0,9    | 1,3    | 2,8    | 5,1    |        |        |        |        |       |      |      |      | mm   |      |      |
| bund              | 34       | y    | 514,6    | mm              | u10lang | 0,4    | 0,7     | 1,3    | 2,0    | 3,1    | 6,4    | 11,8   |        |        |        |        |       |      |      |      | mm   |      |      |
|                   |          | lk   | 5,38E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |        |        |        |        |        |       |      |      |      |      |      |      |
| KBBE 107/27 - 150 |          |      |          | g=              | 13,48   | kN/m   | længde: |        | 7,2    | 8,4    | 9,6    | 10,8   | 12,0   | 14,4   | 16,8   | 19,2   | 21,6  | 24,0 | 26,4 | 28,8 | m    |      |      |
| Armering:         |          | MRd  | 4073,12  | kNm             | qRd     |        |         |        |        |        | 448,33 | 340,09 | 265,89 | 212,81 | 143,67 | 101,98 | 74,92 |      |      |      |      | kN/m |      |
|                   |          | Mrev | 2747,04  | kNm             | qrev    |        |         |        |        |        | 297,98 | 224,98 | 174,94 | 139,14 | 92,51  | 64,39  | 46,14 |      |      |      |      | kN/m |      |
|                   |          | Moo  | 2292,69  | kNm             | qoo     |        |         |        |        |        | 246,47 | 185,54 | 143,77 | 113,90 | 74,98  | 51,51  | 36,28 |      |      |      |      | kN/m |      |
| Sl. Arm.          | As:      | Mbal | 1740,77  | kNm             | qbal    |        |         |        |        |        | 183,89 | 137,63 | 105,92 | 83,23  | 53,68  | 35,87  | 24,30 |      |      |      |      | kN/m |      |
|                   | 0        | VRd  | 1791,62  | kN              |         |        |         |        |        |        |        |        |        |        |        |        |       |      |      |      |      |      |      |
| Liner             | L 12,5 : | d    | 963,2    | mm              | ulev    |        |         |        |        |        | -14,9  | -19,2  | -23,8  | -28,6  | -39,0  | -49,4  | -59,0 |      |      |      |      | mm   |      |
| top               | 4        |      |          |                 | uoo     |        |         |        |        |        | -4,3   | -5,4   | -6,7   | -8,0   | -10,8  | -13,4  | -15,6 |      |      |      |      | mm   |      |
| hylde             | 1        | At   | 5,83E+05 | mm <sup>2</sup> | u10kort |        |         |        |        |        | 0,3    | 0,5    | 0,9    | 1,3    | 2,8    | 5,1    | 8,7   |      |      |      |      | mm   |      |
| bund              | 38       | y    | 513,4    | mm              | u10lang |        |         |        |        |        | 0,7    | 1,3    | 2,0    | 3,1    | 6,4    | 11,8   | 20,1  |      |      |      |      | mm   |      |
|                   |          | lk   | 5,40E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |        |        |        |        |        |       |      |      |      |      |      |      |
| KBBE 107/27 - 150 |          |      |          | g=              | 13,48   | kN/m   | længde: |        | 7,2    | 8,4    | 9,6    | 10,8   | 12,0   | 14,4   | 16,8   | 19,2   | 21,6  | 24,0 | 26,4 | 28,8 | m    |      |      |
| Armering:         |          | MRd  | 4475,53  | kNm             | qRd     |        |         |        |        |        | 375,03 | 293,49 | 235,16 | 159,19 | 113,38 | 83,65  |       |      |      |      |      |      | kN/m |
|                   |          | Mrev | 3074,28  | kNm             | qrev    |        |         |        |        |        | 253,39 | 197,38 | 157,32 | 105,13 | 73,66  | 53,24  |       |      |      |      |      |      | kN/m |
|                   |          | Moo  | 2611,06  | kNm             | qoo     |        |         |        |        |        | 213,18 | 165,61 | 131,58 | 87,26  | 60,53  | 43,19  |       |      |      |      |      |      | kN/m |
| Sl. Arm.          | As:      | Mbal | 1986,14  | kNm             | qbal    |        |         |        |        |        | 158,93 | 122,75 | 96,86  | 63,15  | 42,82  | 29,63  |       |      |      |      |      |      | kN/m |
|                   | 0        | VRd  | 1770,53  | kN              |         |        |         |        |        |        |        |        |        |        |        |        |       |      |      |      |      |      |      |
| Liner             | L 12,5 : | d    | 951,8    | mm              | ulev    |        |         |        |        |        | -21,9  | -27,3  | -33,0  | -45,3  | -58,0  | -70,2  |       |      |      |      |      |      | mm   |
| top               | 4        |      |          |                 | uoo     |        |         |        |        |        | -6,3   | -7,8   | -9,4   | -12,7  | -16,0  | -19,0  |       |      |      |      |      |      | mm   |
| hylde             | 1        | At   | 5,86E+05 | mm <sup>2</sup> | u10kort |        |         |        |        |        | 0,5    | 0,9    | 1,3    | 2,7    | 5,1    | 8,7    |       |      |      |      |      |      | mm   |
| bund              | 44       | y    | 511,8    | mm              | u10lang |        |         |        |        |        | 1,2    | 2,0    | 3,0    | 6,3    | 11,7   | 20,0   |       |      |      |      |      |      | mm   |
|                   |          | lk   | 5,43E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |        |        |        |        |        |       |      |      |      |      |      |      |
| KBBE 107/27 - 150 |          |      |          | g=              | 13,48   | kN/m   | længde: |        | 7,2    | 8,4    | 9,6    | 10,8   | 12,0   | 14,4   | 16,8   | 19,2   | 21,6  | 24,0 | 26,4 | 28,8 | m    |      |      |
| Armering:         |          | MRd  | 4748,40  | kNm             | qRd     |        |         |        |        |        | 398,71 | 312,20 | 250,32 | 169,72 | 121,12 | 89,57  |       |      |      |      |      |      | kN/m |
|                   |          | Mrev | 3237,28  | kNm             | qrev    |        |         |        |        |        | 267,54 | 208,56 | 166,37 | 111,42 | 78,28  | 56,78  |       |      |      |      |      |      | kN/m |
|                   |          | Moo  | 2744,39  | kNm             | qoo     |        |         |        |        |        | 224,75 | 174,75 | 138,99 | 92,40  | 64,31  | 46,08  |       |      |      |      |      |      | kN/m |
| Sl. Arm.          | As:      | Mbal | 2042,41  | kNm             | qbal    |        |         |        |        |        | 163,82 | 126,61 | 99,99  | 65,32  | 44,42  | 30,85  |       |      |      |      |      |      | kN/m |
|                   | 1963     | VRd  | 1770,53  | kN              |         |        |         |        |        |        |        |        |        |        |        |        |       |      |      |      |      |      |      |
| Liner             | L 12,5 : | d    | 951,8    | mm              | ulev    |        |         |        |        |        | -21,6  | -26,9  | -32,5  | -44,7  | -57,4  | -69,7  |       |      |      |      |      |      | mm   |
| top               | 4        |      |          |                 | uoo     |        |         |        |        |        | -5,6   | -6,9   | -8,3   | -11,2  | -14,0  | -16,4  |       |      |      |      |      |      | mm   |
| hylde             | 1        | At   | 5,97E+05 | mm <sup>2</sup> | u10kort |        |         |        |        |        | 0,5    | 0,8    | 1,3    | 2,6    | 4,9    | 8,3    |       |      |      |      |      |      | mm   |
| bund              | 44       | y    | 520,5    | mm              | u10lang |        |         |        |        |        | 1,2    | 1,9    | 2,9    | 6,0    | 11,2   | 19,1   |       |      |      |      |      |      | mm   |
|                   |          | lk   | 5,68E+10 | mm <sup>4</sup> |         |        |         |        |        |        |        |        |        |        |        |        |       |      |      |      |      |      |      |